



ISSN: 0976-3376

Available Online at <http://www.journalajst.com>

ASIAN JOURNAL OF  
SCIENCE AND TECHNOLOGY

Asian Journal of Science and Technology  
Vol. 09, Issue, 05, pp.8212-8215, May, 2018

## RESEARCH ARTICLE

### PHYTOCHEMICAL PROFILE AND ETHANO MEDICINAL USES ANATOMY ANTI MICROBIAL ACTIVITY OF *CALOTROPISGIGANTEA (L.) R. BR.* IN AIR

\*Dr. Mulay, J. R.

New Arts, Commerce and Science College, Ahmednagar, Maharashtra, India

#### ARTICLE INFO

##### Article History:

Received 15<sup>th</sup> February, 2018  
Received in revised form  
19<sup>th</sup> March, 2018  
Accepted 10<sup>th</sup> April, 2018  
Published online 30<sup>th</sup> May, 2018

##### Key words:

Phytochemical Profile,  
Ethno medicinal Uses,  
Anatomy,  
Anti-Microbial Activity.

**Copyright** © 2018, Mulay. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

#### ABSTRACT

Since, ancient times, Different extracts from traditional medicinal plants have been tested to identify the source of the therapeutic effects. *Calotropisgigantia R, Br.* (leaf) extract made in Methanol, Petroleum ether contains different secondary metabolites (Phytochemicals) with biological activity that can be of therapeutic index. Preliminary Phytochemical screening of plant parts of and *Calotropisgigantia R, Br.* is non-toxic. It is interesting to note that the action of the extracts of *Calotropisgigantia R, Br.* is non-toxic. Phytochemical screening of the crude extracts revealed the presence of saponins, tannins, alkaloids, and other phytoconstituents which were reported during present investigation were cardiac glycosides, flavonoids, glycosides, steroids, terpenes and tannins. The consequences of this work has clarified that many active bioconstituents of *Calotropisgigantia R, Br.* consist effective qualities in its tending action. Herbal medicines have been used from the earliest times to the present day.

#### INTRODUCTION

Since ancient time, human beings have always been mostly depended on plant resources for their basic needs like food, medicine, fibre, fodder, shelter, etc. Formerly, they were directly dependent on plants, but due to modernization and with advancement of science and technology this dependence on plants as a direct source has been slightly reduced. All the same, the tribal's and other aboriginal people, who have traditionally lived in the forest's continue to remain fully dependent on plants for their survival. Living close to the nature, the people residing in and nearby forests have assimilated unique knowledge about plant utilization for different purposes through the course of their centuries old experience. Therefore, ethnobotanical studies of different tribal localities may lead to find new information on unexploited natural resources and new uses of existing resources as sources of medicine, food, etc. But at some places recent changes in tribal attitude due to habitat displacement, deforestation, modernization, etc. have led to decline and even disappearance of this rich knowledge system. Therefore, it is essential to gather their entire knowledge on plant use before losing it forever It is well understood now that in one or more ways man's life has always been intimately connected with the plants. There is practically no human activity in which plants do not play a role.

Therefore, in widest sense, ethnobotany has a linkage with almost every other faculty of science and field of knowledge. Today ethnobotany has become an important and crucial area of research and development in medicine research, conservation of biodiversity at genetic, specific and ecosystem level and well considered in socio-economic development of the region. In the recent past there has been a global trend towards revival of interest in the indigenous system of medicine. Even the developed countries equipped with modern allopathic medicines, have started realizing the potentialities of traditional system of medicine. Furthermore, the searches for new herbal drugs have been strengthened by the widespread rejection of chemicals and the growing attraction for herbal remedies. There is an increasing awareness among the people about the use of herbal drugs, which are believed to be safe and do not produce undesirable side effects like most of the modern synthetic drugs and this awareness is one of the reasons, which created enormous worldwide demand for herbal drugs. Presently, the importance of ethnobotanical research mainly for medicine and food is keenly felt, as it represents one of the best avenues for searching new economic plants for food and medicine. In recent years several workers became attracted in ethnobotanical studies and a lot of information about different uses of plants prevalent among the various tribes has been gathered. The recent rediscoveries of certain remarkable uses of plants gave new life to this ancient science of ethnobotany. Several plants (eg. cocoa, maize, rubber, etc.) used today, were originally identified and developed through indigenous knowledge, the chemical

\*Corresponding author: Dr. Mulay, J. R.,  
New Arts, Commerce and Science College, Ahmednagar,  
Maharashtra, India.

constituents like tranquilizers, rescinamine and reserpine have been obtained from the roots of *Rauwolfiaserpentina*, used in India for more than a thousand years in folk medicine for snake bite (Maheshwari, 1996). A recent drug, 'Jeevani' is being produced from the plant *Trichopuszeylanicus*ssp. *travancoricus*, which is having strong energy enhancing properties. The drug is seen as a rival to the South Korean root ginseng (*Pinax ginseng*). Other examples where ethnomedicines have provided lead in the development of drugs used in modern system of medicine are cocaine, morphine, quinine, colchicines, atropine, ephedrine, codeine, emetin, caffeine, reserpine, vinblastine, guggulin and taxol, etc. (Mehrotra Shanta, *et al.*, 1996) The importance of primitive attempts in ethnobotany for medicinal uses of plants were based on speculations only but in present age such medicinal plants have great importance due to the fact that many alkaloids and other important chemicals are being isolated from plants by using better techniques of chemical analysis and isolation methods, however, much work has still to be done, as new medicinal uses of plants are being reported continuously by several workers from different localities.

## MATERIALS AND METHODS

- In traditional medicine *Calotropisgigantea* (L.) R. Br. in Air acts as an emetic and controls edema, vitilligo, hemorrhoids, suppresses aggravated disorders and skin diseases.
- The plant species *Calotropisgigantea* (L.) R. Br. in Air. Mentioned in the official pharmacopoeias of Ayurveda
- The overall objectives of the present paper investigates Anatomy, Micro and Macroscopic, studies have been done to authenticate the raw material of original plant material.
- This research is a best of botanical sources allied to Ayurvedic drug adulterations with pharmacognostical studies.
- Plant-derived substances have recently become of great interest owing to their versatile applications. Medicinal plants are the richest bio-resource of drugs of traditional systems of medicine, modern medicines food supplements, folk medicines, pharmaceutical intermediates and chemical entities for synthetic drugs.
- Extraction (as the term is pharmaceutically used) is the separation of medicinally active portions of plant (and animal) tissues using selective solvents through standard procedures.
- The products so obtained from plants are relatively complex mixtures of metabolites, in liquid or semisolid state or (after removing the solvent) in dry powder form, and are intended for oral. or external use. These include classes of preparations known as decoctions, infusions, fluid extracts, tinctures, pilular (semisolid) extracts or powdered extracts.

- Antimicrobial activity the antimicrobial activity of plant extracts were tested by agar disk diffusion method (1). Antimicrobial activity of each plant extract was tested against four bacteria: *Bacillus subtilis*, *Staphylococcus aureus*, *Pseudomonasaeruginosa* and *E.coli*. The MHA (Mueller Hinton Agar) was prepared and poured in the plates after sterilization. The plates were allowed to solidify for 15 min. Then 0.1 ml of 24hr old culture of test organism was transferred in sterile MHA plate aseptically and spreaded with the help of glass spreader. Sterile 5mm whatman filter paper disks were loaded with plant extract and placed over inoculated plates. The plates were then incubated at 37°C for 24h. After incubation the plates were observe for zone of inhibition. The diameter of zone of inhibition was recorded for the positive plates.

## RESULTS AND DISCUSSION

### Ethanomedicinal Uses

#### *Calotropisgigantea*(L.)

Uses: Med:

- **Intestinal worms:** 2 drops of latex mixed with jaggery (for 3 years old child) & 3-4 drops (for adult) made in to pills; One or two pills given on empty stomach in morning.
- **Headache:** Dry stems smoked like cigarette.
- **Stomach pain:** Abaxial side of leaf applied with oil, heated and kept over stomach.
- Arthritic pain:
  - The leaves are applied to paralysed parts and painful joints and swellings.
  - Flowers warmed and tied on feet over night by using cotton cloth to reduce pain.
- **Fit :** Powder of few dried flowers with few *Piper nigrum* seeds taken in equal
- proportion and made into pills of 1gm each and taken orally once a day for one month.
- **Painful menstruation:** 20- 40 ml extract of root bark with buffloes milk taken once a day for three days after fourth day of menstruation.
- **Wounds:** Mature leaf extract applied on wounds till cure.

### ANATOMY




Figure 2. Anatomy And Powder Microscopy of *Calotropisgigantea*(L.)

Table 1. Phytochemical Screening of *CalotropisgigantiaR,Br.*

Sr.No.	Phytochemical Test	Name of test	Aqueous extract of <i>Calotropisgigantia R,Br.</i> leaves	Ethanollic extract of <i>CalotropisgigantiaR,Br.</i> leaves	Chloroform extract of <i>Calotropisgigantia R,Br.</i> leaves
1.	Alkaloids				
1.1		Mayer's reagent test	+ve	+ve	+ve
1.2		Wagner's reagent	+ve	+ve	+ve
1.3		Hager's reagent test	+ve	+ve	+ve
2.	Carbohydrates				
2.1		Molish's test	-ve	-ve	-ve
2.2		Benedicts test	-ve	+ve	+ve
3	Test for Reducing Sugar's				
3.1		Fehling's test	-ve	-ve	-ve
4	Flavonoids				
4.1		Alkaline reagent test	-ve	+ve	+ve
4.2		Lead acetate test	+ve	-ve	-ve
5	Glycoside				
5.1		Borntrager test	-ve	+ve	+ve
5.2		Legal's test	-ve	+ve	+ve
5.3		Killer- Killiani test	-ve	+ve	+ve
6.	Tannin				
6.1		Ferric chloride test	-ve	-ve	-ve
6.2		Lead Acetate test	+ve	-ve	+ve
6.3		Dilute Sulphuric acid test	+ve	-ve	+ve
7.1	Phenol		-ve	-ve	-ve
8.	Saponin				
8.1		Faom Test	-ve	-ve	+ve
9.	Test for Proteins and amino acid				
9.1		Ninhydrin test	+ve	-ve	+ve
9.2		Biuret test	+ve	-ve	+ve
10.	Test for Fats and Oils				
10.1		Solubility test	+ve	-ve	-ve
11.	Test for Diterpenoids and Steroids				
11.1		Salwonski Test	+ve	+ve	+ve
11.2		Libberman and Burchard's test	+ve	+ve	+ve
12.	Phytosterols		+ve	-ve	+ve
13.	Xanthoproteic test		+ve	+ve	+ve

Table 2. Antimicrobial activity of *Calatrophisgigantea*

Sr. No.	Type of extract	Diameter of zone of inhibition (mm)			
		<i>E.coli</i>	<i>P. aeruginosa</i>	<i>B. subtilis</i>	<i>S. aureus</i>
1	Aqueous (Hot)	0	0	0	0
2	Aqueous (cold)	0	0	10	0
3	Petroleum ether (H)	0	0	0	0
4	Petroleum ether(cold)	0	0	0	9
5	Chloroform (Hot)	0	7	0	7
6	Chloroform(cold)	0	6	0	7

## RESULTS AND DISCUSSION

**Antimicrobial activity *Calatrophisgigantea*:** After 24h the plates were observed for zone of inhibition. Out of six different extract four extract showed antimicrobial activity. Cold aqueous extract showed antimicrobial activity against *B. subtilis* with a maximum zone of inhibition (10mm). However hot aqueous extract didn't showed activity against any bacteria. This indicates that active compounds present in aqueous extract are heat labile. Cold petroleum ether extract inhibited growth of gram positive bacteria *S. aureus* but hot extract didn't. which indicates active compounds of this extract are also heat labile. Hot extract of chloroform showed activity against *P. aeruginosa* and *S. aureus*. Cold extract of chloroform has nearly same activity which indicates the compounds are heat sable. *E.coli* was resistant to all extracts tested. Since four different extracts showed antimicrobial activity, it can be predicted that variety of antimicrobial compounds are present in this plant.

## Conclusion

Since, ancient times, the plants have been a veritable source of drugs. Different extracts from traditional medicinal plants have been tested to identify the source of the therapeutic effects. *CalotropisgigantiaR,Br.* (leaf) extract made in Methanol, Petroleum ether contains different secondary metabolites (Phytochemicals) with biological activity that can be of therapeutic index. preliminary Phytochemical screening of plant parts of and *CalotropisgigantiaR,Br.* It is interesting to note that the action of the extracts of *CalotropisgigantiaR,Br.* is non toxic. The obtained result provide a support for the use of this plant in traditional medicine and suggest its further advance investigation. Phytochemical screening of the crude extracts revealed the presence of saponins, tannins, alkaloids, and other phytoconstituents which were reported during present investigation were cardiac glycosides, flavonoids, glycosides, steroids, terpens and tannins. The consequences of this work has clarified that many active bioconstituents of *Calotropisgigantia R,Br.*

Consist effective qualities in its tending action. Thus it may be exploited by Scientists in the development of human medicines and drugs. Herbal medicines have been used from the earliest times to the present day. Herbal medicines exhibit a remarkable therapeutic diversity. Herbal medicines have been used from the earliest times to the present day. Herbal medicines exhibit a remarkable therapeutic diversity. *Calotropisgigantia R.Br.* Linn. is an Ayurvedic plant which is used in several traditional medicines to treat a variety of diseases. The extracts from different parts of the plant have significant therapeutic value. The leaves are used to treat joint pain and reduce swelling. It is also used as a homeopathic medicine (Meena et al 2011). Chemical investigation of this plant has shown the presence of triterpenoids, cardiac glycosides, calotropin, calactin, calotoxin (Ahmed et al, 2005). The parts of the plant used in Ayurvedic medicine are leaves (fresh or dried), the roots, root bark and the flowers. The powdered leaves are used for the fast healing of wounds, as a purgative and to treat indigestion. They are used to treat skin disorders and liver problems. The dried leaves are used to promote sexual health including penile dysfunction and are reputed to be an aphrodisiac. The flowers are used as a milk drink to treat a variety of complaints including coughs and catarrh, asthma and indigestion, as well as cholera. Traditionally, the plant has been used as an antifungal (Larhsini et al, 1997), antipyretic (Al. Yahya et al, 1985) and analgesic agent while Phytochemical evaluation of the plant parts revealed the presence of essential and trace elements in varied quantities (Olasupo et al, 2004). The present work reports the Phytochemical properties of *CalotropisgigantiaR.Br.* with the view to further substantiate This research has been proved as a path giver to many scientists who may implement the result of the present work in developing drugs from *CalotropisgigantiaR.Br.* against human pathogenic microorganism.

## REFERENCES

Anonymous, 2009. The Ayurvedic Pharmacopoeia Of India, New Delhi Department of Ayush, Ministry Of Health And Family Welfare, Government of India, 2, edn 4, 70 –72.

- Baur AW, Kirby WM, Sherris JC, Turck M. 1966. Antibiotic susceptibility testing by a standard single disk method. *Am J Clin Path.*, 45: 493-496.
- Cox, P. A. and Balick, M. J. 1994. The ethno botanical approach to drug discovery. *Scientific American*, 270:60-65.
- Das K, Tiwari RKS, Shrivastava DK. 2010. Techniques for evaluation of medicinal plant products as antimicrobial agent: Current methods and future trends. *Journal of Medicinal Plants Research*, 4(2): 104-111.
- Esau K, Anatomy of seed plants, John Wiley and sons, New York, 2,2006.Fahn A, Plant anatomy, Pergamon Press, Oxford and Newyork, edn4, 1990.Gamble JS, Flora of the presidency of Madras, Adlard & Son Limited, London, 2, 1957.
- Goyal, M. and Mathur, R. 2011. Antimicrobial potential and Phytochemical analysis of plant extracts of *Calotropisgigantia R, Br.*. *Int. J. of Drug Discovery and Herbal Research*, 1(3):138-143.
- Johansen DA, 1940. Plant Microtechnique, McGraw Hill Book Co, 1, 182-203.
- Madhava Chetty K, Sivaji K, Tulasi Rao K. 2013. Flowering plants ofhittoor District, Andhra Pradesh, India, Student Offset Printers,Tirupati, 3rd edn, 202-205.
- Mukherjee, B., Bose, S. and Dutta, S. K. 2010. Phytochemical and pharmacological investigation of fresh flower extract of *Calotropisgigantia R.Br.* Linn. *Int. J. of Pharmaceutical Sciences and Research*, 1(2):182-187.
- Parekh J, Karathia N, Chanda S. 2006. Evaluation of antibacterial activity and phytochemical analysis of *Bauhinia variegataL.* bark. *African Journal of Biomedical Research* 9: 53-56.
- Ramaprabha, M. and Vasantha, K. 2012. Phytochemical and antibacterial activity of *Calotropisgigantia R.Br.* (Ait.) R.Br. flowers. *Int. J. of Pharma and Biosciences*, 3(1):1-6.
- Trease, G. E. and Evans, W. C. 1989. A Textbook of Pharmacognosy. Bacillieretinal Ltd., London, 13th edition.

\*\*\*\*\*